



Trauma-informed support for women rebuilding after abuse

Understanding Emotional Regulation

Emotional regulation is the ability to process, manage and respond to emotions in ways that feel safe, balanced and manageable.

For many neurodivergent people, emotional regulation can feel far more intense, exhausting or overwhelming than others realise.

This is not because someone is weak, dramatic or “too emotional.”

Many neurodivergent people experience emotions very deeply while also navigating:

- Sensory overwhelm
- Chronic stress
- Masking
- Burnout
- Rejection sensitivity
- Anxiety and hypervigilance
- Trauma or emotional invalidation

Over time, this can place significant pressure on the nervous system.

1. What Neurodivergence Means

Neurodivergence refers to differences in how the brain processes information, emotions, communication, attention and sensory experiences.

This may include:

- ADHD

Our vision is to break silence and rebuild lives, for this generation and the next

hello@weareunmuted.co.uk

Registered Address: c/o RISC, 35-39 London Street, Reading, RG1 4PS

WeAreUnmuted CIC | Company No: 17128806



Trauma-informed support for women rebuilding after abuse

- Autism
- Dyslexia
- Dyspraxia
- Sensory processing differences
- Other neurodevelopmental differences

Every neurodivergent person is different.

However, many people share experiences of feeling misunderstood, emotionally overwhelmed or exhausted from constantly trying to cope in environments not designed for them.

2. Emotional Intensity & Overwhelm

Many neurodivergent people experience emotions very intensely.

This may include:

- Feeling emotions deeply and quickly
- Becoming emotionally overwhelmed easily
- Difficulty calming down after stress
- Feeling emotionally flooded during conflict
- Struggling to “switch off” emotionally
- Feeling mentally overloaded by multiple demands

Our vision is to break silence and rebuild lives, for this generation and the next

hello@weareunmuted.co.uk

Registered Address: c/o RISC, 35-39 London Street, Reading, RG1 4PS

WeAreUnmuted CIC | Company No: 17128806



Trauma-informed support for women rebuilding after abuse

Example:

A small criticism, misunderstanding or stressful interaction may trigger a much larger emotional response internally than others realise.

3. Rejection Sensitivity

Many neurodivergent people experience strong emotional reactions to rejection, criticism or disapproval.

This may involve:

- Overthinking conversations afterwards
- Fear of disappointing people
- Emotional spirals after misunderstandings
- Feeling embarrassed after emotional reactions
- Seeking reassurance repeatedly
- Anxiety around conflict or confrontation

For some people, years of criticism, masking or feeling “different” can increase emotional sensitivity over time.

4. Masking & Emotional Exhaustion

Masking happens when someone hides or suppresses parts of themselves in order to appear more socially acceptable, calm or “functional.”

Many neurodivergent people spend years:

Our vision is to break silence and rebuild lives, for this generation and the next

hello@weareunmuted.co.uk

Registered Address: c/o RISC, 35-39 London Street, Reading, RG1 4PS

WeAreUnmuted CIC | Company No: 17128806



Trauma-informed support for women rebuilding after abuse

- Hiding overwhelm
- Forcing eye contact or social interaction
- Suppressing emotional reactions
- Copying how others behave
- Overworking to appear organised or capable
- Pretending to cope while internally exhausted

Long-term masking can lead to:

- Burnout
- Emotional shutdown
- Anxiety and overwhelm
- Exhaustion after social interaction
- Loss of identity or self-trust

Example:

Someone may appear calm and capable in public but completely collapse emotionally once they are alone.

5. Sensory Overload & The Nervous System

Many neurodivergent people experience heightened sensitivity to:

- Noise

Our vision is to break silence and rebuild lives, for this generation and the next

hello@weareunmuted.co.uk

Registered Address: c/o RISC, 35-39 London Street, Reading, RG1 4PS

WeAreUnmuted CIC | Company No: 17128806



Trauma-informed support for women rebuilding after abuse

- Bright lights
- Crowded environments
- Emotional tension
- Interruptions or unpredictability
- Strong smells or textures

6. When the nervous system becomes overloaded, this may lead to:

- Irritability
- Emotional overwhelm
- Shutdown
- Anxiety or panic
- Difficulty processing information
- Emotional exhaustion

Some people feel constantly overstimulated without fully understanding why.

7. Emotional Shutdown & Burnout

After long periods of stress, masking or overwhelm, some neurodivergent people experience emotional shutdown or burnout.

This may look like:

Our vision is to break silence and rebuild lives, for this generation and the next

hello@weareunmuted.co.uk

Registered Address: c/o RISC, 35-39 London Street, Reading, RG1 4PS

WeAreUnmuted CIC | Company No: 17128806



Trauma-informed support for women rebuilding after abuse

- Emotional numbness
- Difficulty functioning normally
- Loss of motivation
- Mental exhaustion
- Withdrawal or isolation
- Difficulty completing simple tasks
- Increased sensitivity or emotional reactions

Burnout is not laziness.

It is often a sign that the nervous system has been carrying too much for too long.

8. Trauma & Neurodivergence

Many neurodivergent people also carry trauma linked to:

- Bullying or exclusion
- Feeling misunderstood
- Emotional invalidation
- Constant criticism
- Unsafe environments
- Pressure to appear “normal” or cope without support

Trauma and neurodivergence can overlap in ways that increase:

- Hypervigilance
- Anxiety

Our vision is to break silence and rebuild lives, for this generation and the next

hello@weareunmuted.co.uk

Registered Address: c/o RISC, 35-39 London Street, Reading, RG1 4PS

WeAreUnmuted CIC | Company No: 17128806



Trauma-informed support for women rebuilding after abuse

- Emotional dysregulation
- People pleasing
- Shame and self-criticism
- Nervous system exhaustion

9. Supporting Emotional Regulation

Emotional regulation is not about becoming emotionless.

It is about helping the nervous system feel safer and more manageable over time.

Support may involve:

- Reducing sensory overwhelm
- Creating calmer routines
- Taking breaks before reaching burnout
- Allowing recovery time after stress
- Accessing emotionally safe support
- Reducing shame around emotional needs
- Learning boundaries and self-awareness gradually

Small adjustments can make a significant difference.

10. Rest & Recovery Matter

Many neurodivergent people spend years pushing themselves beyond their limits.

Our vision is to break silence and rebuild lives, for this generation and the next

hello@weareunmuted.co.uk

Registered Address: c/o RISC, 35-39 London Street, Reading, RG1 4PS

WeAreUnmuted CIC | Company No: 17128806



Trauma-informed support for women rebuilding after abuse

Recovery often involves learning:

- That rest is necessary, not weakness
- That emotional needs matter
- That masking constantly is exhausting
- That support should reduce shame, not increase it
- That burnout deserves attention and care

Healing and regulation often happen gradually.

If This Feels Familiar

You are not failing because your nervous system feels overwhelmed.

Many neurodivergent people are carrying years of masking, emotional pressure, sensory overload and self-criticism while trying to function in environments that feel emotionally exhausting.

Understanding these experiences can help reduce shame and support emotional wellbeing.

Support & Further Resources

You deserve support that understands both neurodivergence and emotional wellbeing without judgement.

WeAreUnmuted

Turning silence into understanding through lived experience.

Our vision is to break silence and rebuild lives, for this generation and the next

hello@weareunmuted.co.uk

Registered Address: c/o RISC, 35-39 London Street, Reading, RG1 4PS

WeAreUnmuted CIC | Company No: 17128806